



08-16-02

Express Mail Label No. EL 451 598 080 US

1645

#3

8/8/02

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Majumdar et al.

Serial No. 10/076,838

Filed: February 13, 2002

For: *Apparatus and Method for Visually  
Identifying Micro-Forces with a  
Palette of Cantilever Array Blocks*

Group Art Unit: 1645

Examiner: G. Portner

Attorney Docket No. 9840-066-999

Date: August 13, 2002

RECEIVED  
AUG 19 2002  
TECH CENTER 1600/2900COMMUNICATIONAssistant Commissioner for Patents  
Washington D.C. 20231

Sir:

We have received on July 8, 2002, a second Notice of New Assigned Application Number which indicates that the serial number for this application is 10/078,838. Since this was different from the serial number (10/076,838) in the June 18, 2002 Notice, we called the Customer Service Center to determine which serial number is correct. The Customer Service Center of the Patent Office acknowledged that the serial number 10/078,838 is incorrect and does not belong to the above identified application. According to the Customer Service center, the June 18, 2002 Notice of New Assigned Application is the correct notice (identifying the SN as 10/076,838). Copy of both Notices are enclosed.

No fee is believed to be required with this communication, however, the Commissioner is hereby authorized to charge any required fee or credit any overpayment to Pennie & Edmonds LLP Deposit Account No. 16-1150 (order no. 9840-066-999). A copy of this sheet is enclosed for such purpose.

Respectfully submitted,

By:

Gary S. Williams

Registration No. 31,066

3300 Hillview Avenue  
Palo Alto, CA 94304  
(650) 493-4935



UNITED STATES  
PATENT AND  
TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)

June 18, 2002

To: PENNIE & EDMONDS L.L.P.  
3300 HILLVIEW AVENUE  
PALO ALTO, CA 94304

From: office of Initial Patent Examination

Subject: Notice of New Assigned Application Number

Attorney Docket No: 9840-066

Previously Assigned Application Number: 10/076,315

New Application Number: 10/076,838


Applicant: Aranaya Majumder

Title: APPARATUS AND METHOD FOR VISUALLY IDENTIFYING  
MICRO- FORCES WITH A PALETTE OF CANTILEVER ARRAY BLOCKS

Filing Date: 02/13 / 02

Through an administrative error the above identified application was assigned an incorrect application number. The new application number is listed in the heading above. Please correct your records and refer to the new application number in all future correspondence to the Patent and Trademark Office.

The Office regrets any inconvenience this situation has caused your office. If you have any questions about this matter, please contact Customer Service Center, Office of Initial Patent Examination Division, (703) 308-1202.

  
\_\_\_\_\_  
Eleanor J. Kurtz

RECEIVED  
AUG 19 2002  
TECH CENTER 1600/2900



UNITED STATES  
PATENT AND  
TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)



July 8, 2002

To: PENNIE & EDMONDS L.L.P.  
3300 HILL VIEW AVENUE  
PALO ALTO, CA 94 304

RECEIVED RECORDS

JUL 12 2002  
CSW  
& DOCKETING CA OFFICE

From: office of Initial Patent Examination  
Subject: Notice of New Assigned application Number

Attorney Docket No.: 9840-066 ✓  
Previously Assigned Application Number: 10/ 076, 315  
New Application Number: 10/ 078, 838

RECEIVED  
AUG 19 2002  
TECH CENTER 1600/2900

Applicant: Aranaya Majumder  
Title: APPARATUS AND METHOD FOR VISUALLY IDENTIFYING  
MICRO- FORCES WITH A PALETTE OF CANTILEVER ARRAY  
BLOCKS. ✓

Filing Date: 02 /13/02 ✓

Through an administrative error the above identified application was assigned an incorrect application number. The new application number is listed in the heading above. Please correct your records and refer to the new application number in all future correspondence to the Patent and Trademark Office.

The Office regrets any inconvenience this situation has caused your office. If you have any questions about this matter, please contact Customer Service Center, Office of Initial Patent Examination Division, (703) 308-1202.

Eleonore J. Hurst